

[Home](#) ■ [Products](#) ■ [Safe Access Solutions](#) ■ [Drinking Water Storage](#) ■ [Water Reservoir Access](#)

## Water Reservoir Access: Pressure-tight Doors

Pressure-tight access doors for containers, up to 10 m and 30 m water head.  
Especially suitable in the field of potable water supply and for elevated reservoirs.

### Rectangular Pressure-Tight Door TT7 with Locking Levers



**Access door for containers, especially in the field of potable water supply, pressure-tight up to a water gauge of 10 m.**

Pressure-tight door, pressure-tight up to a water gauge of 10 m, opening to the pressure side, ready for installation, to be lined on both sides (wall thickness  $\geq 280$  mm), rectangular, completely made from 1.4404 (AISI 316 L) stainless steel, statically certified.

### Rectangular Pressure-Tight Door TT7.Z with Central Lock

**Access door for containers, especially in the field of potable water supply, pressure-tight up to a water gauge of 10 m.**

Pressure-tight door, pressure-tight up to a water gauge of 10 m, opening to the pressure side, ready for installation, to be lined on both



sides (wall thickness  $\geq 300$  mm), rectangular, completely made from 1.4404 (AISI 316 L) stainless steel, statically certified.

Registered design no. 298 01 144.1

### [Rectangular Pressure-Tight Door TT7.30 with Central Lock](#)

**Access door for containers, especially in the field of potable water supply, pressure-tight up to a water gauge of 30 m.**

Pressure-tight door, pressure-tight up to a water gauge of 30 m, opening to the pressure side, ready for installation, to be lined on both sides (wall thickness  $\geq 300$  mm), rectangular, completely made from 1.4404 (AISI 316 L) stainless steel, statically certified.



## Round Pressure-Tight Door TT7.R with Screw Locks



**Access door for containers, especially in the field of potable water supply, pressure-tight up to a water gauge of 10 m.**

Pressure-tight door, pressure-tight up to a water gauge of 10 m, opening to the pressure side, ready for installation, to be lined on both sides, round, completely made from 1.4404 (AISI 316 L) stainless steel, statically certified.

## Download Documents

Here you will find extensive planning documents and customer information.

For quick and easy download, all documents of a product are packed together into one complete ZIP file:

- [Rectangular Pressure-Tight Door TT7 with Locking Levers](#)
- [Rectangular Pressure-Tight Door TT7.Z with Central Lock](#)
- [Rectangular Pressure-Tight Door TT7.30 with Central Lock](#)
- [Round Pressure-Tight Door TT7.R with Screw Locks](#)

## Media



## Case Studies

- First HUBER TT7-30 pressure doors installed at Echthausen waterworks
- New Pressure Door model to withstand even higher pressures!

## More products of this group: Drinking Water Storage

- [Air Filtering](#)

**Huber Technology Middle East (FZE)**  
P.O. Box: 120137  
Plot J2-08  
Sharjah International Free Zone  
United Arab Emirates

Tel.: +971 6 5574059  
Fax: +971 6 5574069

Email: [info@huberme.com](mailto:info@huberme.com)  
Internet: [www.huberme.com](http://www.huberme.com)

Member of the HUBER group:  
[www.huber.de](http://www.huber.de)